

ENGTS450 DIRECTCU/DI/1GD5


Enjoy Cool and Quiet Gaming Experience with Asus "Own Designed" ENGTS450 board

ASUS Exclusive Innovations


 Powerful Thermal: DIRETCCU Thermal Solution reaches 20% cooler and 35% quieter



 Voltage Tweak software can let users easily boost performance by up to 50%.



 Armament materials of POSCAP and 4-phase power are used for better overclocking ability.







Page 1 of 3



ASUS Features

Graphics GPU Features



Gigantic 1GB GDDR5 Memory



PCI Express 2.0 support



NVIDIA GeForce GTS450



ASUS Smart Doctor:



Your intelligent hardware protection and powerful overclocking tool



• GeForce CUDA Support:

Unlocks the power of GPU's processor cores to accelerate the most demanding system tasks.



ASUS Gamer OSD:

Real-time overclocking, benchmarking and video capturing in any PC game!



• NVIDIA PhysX ready:

Dynamic visual effects like blazing explosions, reactive debris, realistic water, and lifelike characters.



• ASUS Splendid:

Watching movies on PC is as good as on Top-of-the-line consumer television.




SLI Support:

Multi-GPU technology for extreme performance ode.



• GPU Guard:

Doubles structural reinforcement. Cracks free!



• 40nm GPU:

Less power consumption & more efficient transistor



• EMI Shield:

Effectively blocks 66% radiations to protect user's health and improve graphics clarity.



Microsoft® DirectX® 11 **Support:**

Bring new levels of visual realism to gaming on the PC and get top-notch performance



• Fuse Protection:

Fuse Protection technology delivers double the over-current protection for risk-free computing.



Microsoft® Windows® 7 **Support:**

Enable PC users to enjoy an advanced computing experience and to do more with their PC



Hardware Specification

Model	ENGTS450 DIRECTCU/DI/1GD5
Graphics Engine	NVIDIA GeForce GTS450
Bus Standard	PCI Express® 2.0
Video Memory	1GB DDR5
Engine Clock	783 MHz
Memory Clock	3608Mhz(902Mhz GDDR5)
Memory Interface	128 bit
DVI Max. Resolution	2560 * 1600
D-Sub Max. Resolution	2048 * 1536
D-Sub Output	X1
DVI Output	X1
HDMI Output	X1 (Native)
HDCP Compliant	YES
Software Bundled	ASUS Utilities & Driver / AIWI software
Dimension	The card size is 8.543 inches* 4.37inches

